ELSEVIER

Neuroscience Letters 270 (1999) 195–197

Neuroscience Letters

Contents to Volume 270

Volume 270 no. 1

Guidelines for the submission of manuscripts v

The Ile93Met mutation in the ubiquitin carboxy-terminal-hydrolase-L1 gene is not observed in European cases with familial Parkinson's disease
B.S. Harhangi, M.J. Farrer, S. Lincoln, V. Bonifati, G. Meco, G. De Michele, A. Brice, A. Dürr, M. Martinez, T. Gasser, B. Bereznai, J.R. Vaughan, N.W. Wood, J. Hardy, B.A. Oostra, M.M.B. Breteler (The Netherlands, USA, Italy, France, Germany, UK) 1

Homologous regulation of 5-HT1A receptor mRNA in adult rat hippocampal dentate gyrus
J. Huang, E.C. Azmitia (USA) 5

An immunohistochemical investigation of the opioid cell column in lamina X of the male rat lumbosacral spinal cord
A.P. Nicholas, X. Zhang, T. Hökfelt (USA, Sweden) 9

Activation of human language processing brain regions after the presentation of random letter strings demonstrated with event-related functional magnetic resonance imaging
F. Jessen, M. Erb, U. Klose, M. Lotze, W. Grodd, R. Heun (Germany) 13

Slow cortical potential shifts modulate the sensory threshold in human visual system
M. Devrim, T. Demiralp, A. Kurt, İ. Yücesir (Turkey) 17

Differences in human visual evoked potentials during the perception of colour as revealed by a bootstrap method to compare cortical activity. A prospective study
M.G. Manolas, T.D. Stamoulos, P.A. Anninos (Greece) 21

Neutralizing antibodies to interleukin 1-receptor reduce pain associated behavior in mice with experimental neuropathy
C. Sommer, S. Petrausch, T. Lindenlaub, K.V. Toyka (Germany) 25

Reversal of thermal hyperalgesia in a rat partial sciatic nerve ligation model by Prosaptide™ TX14(A)
D.A.C. Otero, B. Conrad, J.S. O'Brien (USA) 29

Raphe pallidus and parapyramidal neurons regulate ear pinna vascular conductance in the rabbit
W.W. Blessing, Y.H. Yu, E. Nalivaiko (Australia) 33

Imaging functional activation of the auditory cortex during focal repetitive transcranial magnetic stimulation of the primary motor cortex in normal subjects
H.R. Siebner, M. Peller, F. Willoch, C. Auer, P. Bartenstein, A. Drzezga, M. Schwaiger, B. Conrad (Germany, Norway) 37

Expression of wild-type and V210I mutant prion protein in human neuroblastoma cells
V. Vetrugno, M. Malchow, Q.-g. Liu, G. Marziali, A. Battistini, M. Pocchiari (Italy) 41

Brain-derived growth factor and nerve growth factor concentrations are decreased in the substantia nigra in Parkinson's disease
M. Mogi, A. Togari, T. Kondo, Y. Mizuno, O. Komure, S. Kuno, H. Ichinose, T. Nagatsu (Japan) 45

Differential changes in the subcellular distribution of α-amino-3-hydroxy-5-methyl-4-isoxazole propionate and *N*-methyl-D-aspartate receptors in neonate and adult rat cortex
K. Archibald, E. Molnár, J.M. Henley (UK) 49

In situ localization of neuronal nitric oxide synthase (nNOS) mRNA in the rat retina
D.H. Shin, H.Y. Lee, H.J. Kim, E. Lee, K.H. Lee, W.J. Lee, S.S. Cho, S.H. Baik (South Korea) 53

Serotonin depolarizes hippocampal interneurones in the rat stratum oriens by interaction with $5HT_2$ receptors
K. Lee, A.K. Dixon, R.D. Pinnock (UK) 56

Lysophosphatidic acid-induced, pertussis toxin-sensitive nociception through a substance P release from peripheral nerve endings in mice
K. Renbäck, M. Inoue, H. Ueda (Japan) 59

Volume 270 no. 2

Extended survival time following pseudorabies virus injection labels the suprapontine neural network controlling the bladder and urethra in the rat
W.M. Grill, B.O. Erokwu, S. Hadziefendic, M.A. Haxhiu (USA) 63

Hypoxia- and hypercapnia-induced DC potential shifts in rat at the scalp and the skull are opposite in polarity to those at the cerebral cortex
A. Lehmenkühler, F. Richter, T. Pöppelmann (Germany) 67

Immunohistochemical evidence for the presence of calbindin containing neurones in the myenteric plexus of the guinea-pig stomach
D. Reiche, H. Pfannkuche, K. Michel, S. Hoppe, M. Schemann (Germany) 71
Changes in binding to muscarinic and nicotinic cholinergic receptors in the chick telencephalon, following passive avoidance learning
Sz. Mezey, A.D. Székely, R.C. Bourne, P. Kabai, A. Csillag (Hungary, UK) 75
L-Deprenyl stimulates the release of catecholamines in the rat medial basal hypothalamus in vivo
S. ThyagaRajan, S.K. Quadri (USA) 79
Priming stimulation in the basolateral amygdala modulates synaptic plasticity in the rat dentate gyrus
I. Akirav, G. Richter-Levin (Israel) 83
Presynaptic involvement of nitric oxide in dopamine D1/D5 receptor-induced sustained enhancement of synaptic currents mediated by ionotropic glutamate receptors in the rat hippocampus
S.-N. Yang (Taiwan, ROC) 87
Phosphorylated tau in human cerebrospinal fluid is a diagnostic marker for Alzheimer's disease
K. Ishiguro, H. Ohno, H. Arai, H. Yamaguchi, K. Urakami, J.-M. Park, K. Sato, H. Kohno, K. Imahori (Japan) 91
Metabotropic glutamate receptors 2 and 3 expressed by astrocytes in rat ventrobasal thalamus
E. Mineff, J. Valtschanoff (USA) 95
The effects of single and multiple episodes of theta patterned or high frequency stimulation on synaptic transmission from hippocampal area CA1 to the subiculum in rats
S. Commins, M. Anderson, J. Gigg, S.M. O'Mara (Ireland) 99
Protection against acute amphetamine-induced behavior by microinjection of a group II metabotropic glutamate receptor agonist into the dorsal striatum of rats
L. Mao, J.Q. Wang (USA) 103
Memory deterioration in an oxidative stress model and its correlation with cytological changes on rat hippocampus CA1
M.R. Avila-Costa, L. Colín-Barenque, T.I. Fortoul, J.P. Machado-Salas, J. Espinosa-Villanueva, C. Rugerio-Vargas, S. Rivas-Arancibia (Mexico) 107
No mutation in the entire coding region of the α-synuclein gene in pathologically confirmed cases of multiple system atrophy
T. Ozawa, H. Takano, O. Onodera, H. Kobayashi, T. Ikeuchi, R. Koide, K. Okuizumi, T. Shimohata, K. Wakabayashi, H. Takahashi, S. Tsuji (Japan) 110

Acknowlegements to Reviewers 113

Volume 270 no. 3

Apolipoprotein E and α-1-antichymotrypsin allele polymorphism in sporadic and familial Alzheimer's disease
F. Licastro, S. Pedrini, M. Govoni, A. Pession, C. Ferri, G. Annoni, V. Casadei, F. Veglia, S. Bertolini, L.M.E. Grimaldi (Italy) 129
The alpha-2 macroglobulin gene is not associated with Alzheimer's disease in a case-control sample
F. Crawford, T. Town, M. Freeman, J. Schinka, M. Gold, R. Duara, M. Mullan (USA) 133
Influence of the *N*-methyl-D-aspartate antagonist memantine on human motor cortex excitability
P. Schwenkreis, K. Witscher, F. Janssen, A. Addo, R. Dertwinkel, M. Zenz, J.-P. Malin, M. Tegenthoff (Germany) 137
Unipolar brush cells in the cochlear nuclei of a primate *(Callithrix jacchus)*
W.B. Spatz (Germany) 141
Changes with aging and ischemia in nicotinic acetylcholine receptor subunit α7 mRNA expression in postmortem human frontal cortex and putamen
K. Utsugisawa, Y. Nagane, H.Tohgi, M. Yoshimura, H. Ohba, Y. Genda (Japan) 145
Magnetic resonance image-based cerebellar volumetry in healthy Korean adults
I.J. Rhyu, T.H. Cho, N.J. Lee, C.-S. Uhm, H. Kim, Y.-S. Suh (South Korea) 149
Emperipolesis of lymphoid cells in vagal efferent neurons following an intraneural injection of ricin into the vagus nerve in rats
Y.-K. Ng, E.-A. Ling (Singapore) 153
Activation of respiratory afferents by resistive loaded breathing modifies somatosensory evoked potentials to median nerve stimulation in humans
E. Balzamo, V. Pellegrin, H. Somma-Mauvais, Y. Jammes (France) 157
Electrophysiological actions of *N*-[1-[4-(4-fluorophenoxy)butyl]-4-piperidinyl]-*N*-methyl-2-benzothiazolamine (R56865) on CA1 neurons of the rat hippocampal slice during hypoxia
M. Barbieri, A. Nistri (Italy) 161
Transforming growth factor β2 is able to modify mRNA levels and release of luteinizing hormone-releasing hormone in a immortalized hypothalamic cell line (GT1-1)
E. Messi, M. Galbiati, V. Magnaghi, I. Zucchi, L. Martini, R.C. Melcangi (Italy) 165
Enhanced inhibition of free radical-induced deoxyribose breakdown by Alzheimer brain homogenates
L. Volicer, J.M. Wells, A.C. McKee, N.W. Kowall (USA) 169
Scopolamine-sensitive and resistant components of increase in cerebral cortical blood flow elicited by periaqueductal gray matter of rats
M. Nakai, M. Maeda (Japan) 173

Adenovirus-mediated gene transfer of Bcl-xL prevents cell death in primary neuronal culture of the rat
N. Matsuoka, H. Yukawa, K. Ishii, H. Hamada, M. Akimoto, N. Hashimoto, S.-I. Miyatake (Japan) 177
Activation of sensory nerves participates in stress-induced histamine release from mast cells in rats
Z.-L. Huang, T. Mochizuki, H. Watanabe, K. Maeyama (Japan) 181
Cortical focusing is an alternative explanation for improved sensory acuity on an amputation stump
C.E.G. Moore, A. Partner, E.M. Sedgwick (UK) 185
Acute and transient increase of lipocalin-type prostaglandin D synthase (β-trace) level in cerebrospinal fluid of patients with aneurysmal subarachnoid hemorrhage
M. Mase, K. Yamada, A. Iwata, T. Matsumoto, K. Seiki, H. Oda, Y. Urade (Japan) 188

Corrigendum 191
Author Index to Volume 270 192
Contents to Volume 270 195